





BUILD-IN WALL

Dimensions & heat output

DIMENSIONS




* Smaller dimensions can decrease output.


Type	d	h	D	c	s1*	s2*
10	3 15/16 (10)	3 15/16 (10)	4 41/64 (11.8)	2 3/64 (5.2)	3 15/16 (10)	3 15/16 (10)
15	5 29/32 (15)	3 15/16 (10)	6 39/64 (16.8)	3 1/32 (7.7)	4 23/32 (12)	4 23/32 (12)
20	7 7/8 (20)	3 15/16 (10)	8 37/64 (21.8)	4 1/64 (10.2)	5 29/32 (15)	5 29/32 (15)

Type	d	h	D	c	s1*	s2*
11	3 15/16 (10)	7 7/8 (20)	4 41/64 (11.8)	2 3/64 (5.2)	3 15/16 (10)	3 15/16 (10)
16	5 29/32 (15)	7 7/8 (20)	6 39/64 (16.8)	3 1/32 (7.7)	4 23/32 (12)	4 23/32 (12)
21	7 7/8 (20)	7 7/8 (20)	8 37/64 (21.8)	4 1/64 (10.2)	5 29/32 (15)	5 29/32 (15)


Type 10




Type 11




Type 15




Type 16



Type 20




Type 21



Note: dimensions in “()” are shown in centimeters.

The information in this technical brochure is correct at the time of printing. Jaga reserves the right to change product specification at any time in line with our policy of continuous improvement and innovation.

 The dimensions shown in the tables have been rounded off to 0.5".
Dimensions in cm are exact. (1 cm = 0.394")

BUILD-IN WALL TYPE 10

code height length type
ORDER CODE: BIWW. 020 040 10

mean T		L 15.5"	19.5"	23.5"	27.5"	31.5"	35.5"	39.5"	43.5"	47"	55"	63"	71"	78.5"	86.5"	94.5"
°F (°C)	H	(040)	(050)	(060)	(070)	(080)	(090)	(100)	(110)	(120)	(140)	(160)	(180)	(200)	(220)	(240)
170 (76.7)	8"	1110	1390	1666	1946	2221	2501	2777	3056	3332	3887	4443	4998	5554	6109	6665
160 (71.1)	(020)	964	1207	1446	1689	1928	2171	2410	2653	2893	3375	3857	4339	4821	5303	5786
130 (54.4)		564	706	846	988	1128	1270	1410	1552	1692	1974	2256	2538	2820	3102	3384
110 (43.3)		335	420	503	587	671	755	838	923	1006	1174	1342	1509	1677	1845	2013
170 (76.7)	12"	1396	1748	2099	2446	2798	3145	3496	3848	4195	4893	5596	6294	6993	7691	8390
160 (71.1)	(030)	1213	1519	1824	2126	2431	2733	3038	3343	3645	4252	4863	5470	6077	6684	7291
130 (54.4)		712	892	1071	1248	1427	1604	1784	1963	2140	2497	2855	3212	3568	3924	4281
110 (43.3)		425	532	639	745	852	958	1065	1172	1277	1490	1704	1917	2130	2342	2555
170 (76.7)	15.5"	1627	2037	2443	2849	3255	3665	4071	4476	4886	5698	6514	7326	8142	8957	9769
160 (71.1)	(040)	1415	1772	2125	2478	2831	3187	3540	3893	4250	4956	5666	6372	7081	7791	8497
130 (54.4)		834	1044	1252	1460	1668	1878	2086	2294	2504	2920	3338	3754	4172	4590	5006
110 (43.3)		499	625	749	874	999	1124	1249	1374	1499	1749	1999	2248	2499	2749	2998
170 (76.7)	19.5"	1815	2271	2727	3178	3634	4086	4542	4998	5450	6357	7269	8177	9084	9992	10900
160 (71.1)	(050)	1580	1977	2374	2767	3164	3557	3954	4351	4744	5534	6328	7118	7908	8699	9489
130 (54.4)		934	1168	1403	1636	1870	2103	2337	2572	2805	3272	3741	4208	4675	5142	5610
110 (43.3)		561	702	843	983	1124	1263	1404	1545	1685	1966	2248	2529	2809	3090	3371
170 (76.7)	23.5"	1972	2466	2959	3452	3945	4439	4932	5425	5918	6905	7891	8878	9864	10851	11837
160 (71.1)	(060)	1719	2148	2578	3008	3438	3868	4297	4727	5157	6016	6876	7736	8595	9455	10314
130 (54.4)		1019	1274	1529	1784	2039	2294	2549	2804	3059	3569	4079	4589	5099	5609	6119
110 (43.3)		614	768	922	1076	1229	1383	1537	1690	1844	2152	2459	2766	3074	3381	3689
170 (76.7)	27.5"	2100	2626	3152	3678	4200	4726	5253	5779	6305	7353	8405	9453	10506	11558	12606
160 (71.1)	(070)	1832	2290	2749	3208	3664	4122	4581	5040	5499	6413	7331	8245	9163	10081	10995
130 (54.4)		1090	1364	1637	1910	2181	2455	2728	3001	3274	3819	4365	4910	5456	6003	6547
110 (43.3)		660	825	990	1156	1320	1485	1651	1816	1981	2311	2641	2971	3302	3632	3962
170 (76.7)	35.5"	2300	2875	3446	4021	4596	5171	5746	6321	6896	8046	9192	10342	11492	12643	13793
160 (71.1)	(090)	2009	2512	3011	3513	4016	4518	5021	5523	6026	7031	8032	9037	10042	11047	12052
130 (54.4)		1205	1506	1805	2106	2408	2709	3010	3311	3613	4215	4816	5418	6021	6623	7226
110 (43.3)		734	917	1099	1283	1466	1650	1833	2017	2200	2567	2933	3300	3667	4034	4401

BTU/hr with 65°F (18.3°C) entering air and 1 GPM flow rate

BUILD-IN WALL TYPE 11

code height length type
ORDER CODE: BIWW. 030 040 11

mean T		L 15.5"	19.5"	23.5"	27.5"	31.5"	35.5"	39.5"	43.5"	47"	55"	63"	71"	78.5"	86.5"	94.5"
°F (°C)	H	(040)	(050)	(060)	(070)	(080)	(090)	(100)	(110)	(120)	(140)	(160)	(180)	(200)	(220)	(240)
170 (76.7)	12"	1907	2388	2865	3342	3819	4295	4772	5249	5726	6680	7638	8591	9545	10499	11452
160 (71.1)	(030)	1651	2067	2480	2893	3306	3719	4132	4544	4957	5783	6612	7438	8264	9089	9915
130 (54.4)		956	1197	1436	1675	1914	2153	2392	2631	2870	3348	3828	4306	4784	5263	5741
110 (43.3)		563	705	845	986	1127	1268	1408	1549	1690	1971	2254	2536	2817	3099	3380
170 (76.7)	15.5"	2153	2690	3226	3767	4303	4844	5380	5917	6457	7534	8607	9684	10761	11838	12915
160 (71.1)	(040)	1865	2329	2793	3262	3726	4194	4658	5123	5591	6524	7452	8385	9317	10250	11183
130 (54.4)		1080	1349	1618	1889	2158	2429	2698	2967	3238	3778	4316	4856	5397	5937	6477
110 (43.3)		636	794	953	1113	1271	1431	1589	1748	1907	2226	2543	2861	3179	3497	3815
170 (76.7)	19.5"	2357	2949	3541	4128	4720	5307	5899	6490	7078	8257	9440	10619	11798	12977	14156
160 (71.1)	(050)	2041	2554	3066	3575	4087	4596	5108	5620	6129	7150	8174	9195	10216	11237	12258
130 (54.4)		1183	1479	1776	2071	2368	2663	2959	3256	3551	4143	4736	5328	5919	6511	7103
110 (43.3)		697	872	1047	1220	1395	1569	1744	1919	2092	2441	2791	3140	3488	3837	4185
170 (76.7)	23.5"	2544	3178	3812	4451	5085	5723	6357	6991	7630	8902	10170	11443	12715	13988	15260
160 (71.1)	(060)	2203	2753	3302	3855	4404	4957	5506	6055	6608	7710	8808	9910	11012	12114	13216
130 (54.4)		1277	1595	1914	2234	2552	2873	3191	3509	3830	4469	5105	5744	6383	7022	7660
110 (43.3)		753	940	1128	1317	1505	1693	1881	2069	2258	2634	3010	3386	3763	4139	4516
170 (76.7)	27.5"	2706	3382	4059	4735	5412	6088	6765	7441	8118	9471	10824	12177	13530	14883	16236
160 (71.1)	(070)	2343	2929	3515	4101	4687	5273	5859	6445	7031	8203	9375	10547	11719	12891	14063
130 (54.4)		1359	1698	2038	2378	2718	3058	3397	3737	4077	4756	5436	6116	6795	7475	8154
110 (43.3)		801	1001	1202	1402	1603	1803	2003	2204	2404	2805	3206	3606	4007	4408	4809
170 (76.7)	35.5"	2990	3738	4487	5236	5980	6729	7477	8226	8975	10468	11965	13458	14955	16452	17945
160 (71.1)	(090)	2590	3239	3887	4536	5180	5829	6478	7126	7775	9068	10365	11659	12956	14253	15546
130 (54.4)		1503	1879	2256	2632	3006	3382	3759	4135	4512	5262	6015	6765	7518	8271	9021
110 (43.3)		887	1109	1331	1553	1774	1996	2218	2440	2662	3105	3550	3993	4437	4881	5324

BTU/hr with 65°F (18.3°C) entering air and 1 GPM flow rate



BUILD-IN WALL TYPE 15

code height length type
ORDER CODE: BIWW. 020 040 15

mean T °F (°C)	H	L 15.5" (040)	19.5" (050)	23.5" (060)	27.5" (070)	31.5" (080)	35.5" (090)	39.5" (100)	43.5" (110)	47" (120)	55" (140)	63" (160)	71" (180)	78.5" (200)	86.5" (220)	94.5" (240)
170 (76.7)	8"	1847	2308	2770	3232	3694	4156	4617	5079	5541	6465	7388	8312	9235	10159	11082
160 (71.1)	(020)	1604	2005	2406	2807	3208	3609	4010	4411	4813	5615	6417	7219	8021	8823	9626
130 (54.4)		940	1175	1410	1645	1880	2115	2350	2585	2820	3290	3761	4231	4701	5171	5641
110 (43.3)		560	700	840	980	1120	1260	1400	1540	1680	1960	2241	2521	2801	3081	3361
170 (76.7)	12"	2300	2875	3446	4021	4596	5171	5746	6321	6897	8047	9193	10343	11493	12643	13794
160 (71.1)	(030)	2000	2500	2997	3497	3997	4497	4997	5497	5997	6997	7994	8994	9995	10995	11995
130 (54.4)		1177	1472	1764	2058	2353	2647	2942	3236	3531	4120	4706	5295	5884	6473	7062
110 (43.3)		704	881	1056	1232	1408	1584	1760	1937	2113	2465	2816	3169	3521	3874	4226
170 (76.7)	15.5"	2646	3309	3972	4635	5298	5961	6624	7287	7950	9266	10591	11913	13238	14564	15885
160 (71.1)	(040)	2304	2881	3458	4035	4612	5189	5766	6343	6920	8066	9220	10371	11525	12679	13829
130 (54.4)		1362	1703	2044	2385	2724	3065	3406	3748	4089	4769	5451	6131	6813	7496	8176
110 (43.3)		818	1023	1228	1433	1637	1842	2047	2252	2457	2865	3275	3684	4094	4504	4913
170 (76.7)	19.5"	2924	3653	4382	5115	5844	6577	7306	8035	8768	10231	11689	13151	14613	16075	17537
160 (71.1)	(050)	2548	3184	3819	4458	5094	5733	6368	7003	7643	8917	10188	11462	12737	14011	15286
130 (54.4)		1513	1891	2268	2648	3025	3404	3782	4159	4539	5296	6050	6807	7564	8321	9078
110 (43.3)		913	1141	1369	1598	1826	2055	2282	2510	2739	3196	3652	4108	4565	5022	5479
170 (76.7)	23.5"	3137	3924	4710	5493	6279	7061	7848	8634	9417	10986	12559	14127	15696	17265	18834
160 (71.1)	(060)	2738	3424	4110	4793	5479	6162	6848	7535	8218	9587	10959	12328	13697	15066	16436
130 (54.4)		1633	2043	2452	2859	3269	3676	4086	4495	4902	5719	6538	7355	8172	8989	9805
110 (43.3)		990	1238	1486	1733	1982	2228	2477	2725	2972	3467	3964	4459	4954	5449	5944
170 (76.7)	27.5"	3312	4140	4967	5794	6625	7452	8280	9107	9934	11593	13247	14905	16560	18214	19873
160 (71.1)	(070)	2894	3616	4339	5062	5788	6511	7233	7956	8678	10127	11573	13022	14467	15912	17361
130 (54.4)		1733	2166	2599	3032	3467	3900	4333	4766	5199	6067	6933	7801	8667	9533	10401
110 (43.3)		1055	1318	1582	1846	2110	2374	2637	2901	3165	3693	4220	4748	5275	5803	6331
170 (76.7)	35.5"	3547	4434	5321	6208	7094	7981	8868	9755	10642	12416	14189	15963	17737	19511	21284
160 (71.1)	(090)	3106	3883	4659	5436	6213	6989	7766	8543	9319	10873	12426	13979	15533	17086	18639
130 (54.4)		1878	2347	2817	3286	3756	4226	4695	5165	5634	6573	7512	8452	9391	10330	11269
110 (43.3)		1153	1441	1730	2018	2306	2595	2883	3171	3460	4036	4613	5190	5767	6343	6920

BTU/hr with 65°F (18.3°C) entering air and 1 GPM flow rate

BUILD-IN WALL TYPE 16

code height length type
ORDER CODE: BIWW. 030 040 16

mean T °F (°C)	H	L 15.5" (040)	19.5" (050)	23.5" (060)	27.5" (070)	31.5" (080)	35.5" (090)	39.5" (100)	43.5" (110)	47" (120)	55" (140)	63" (160)	71" (180)	78.5" (200)	86.5" (220)	94.5" (240)
170 (76.7)	12"	2526	3158	3790	4421	5053	5685	6316	6948	7580	8843	10106	11370	12633	13896	15160
160 (71.1)	(030)	2184	2730	3276	3822	4368	4914	5460	6006	6552	7644	8736	9828	10920	12012	13104
130 (54.4)		1256	1571	1885	2199	2513	2828	3142	3456	3770	4399	5027	5656	6284	6912	7541
110 (43.3)		735	919	1103	1287	1471	1655	1839	2023	2207	2575	2943	3311	3679	4047	4414
170 (76.7)	15.5"	2904	3630	4356	5082	5808	6534	7260	7986	8712	10164	11616	13068	14520	15972	17424
160 (71.1)	(040)	2509	3136	3763	4391	5018	5645	6273	6900	7527	8782	10037	11291	12546	13800	15055
130 (54.4)		1441	1802	2162	2523	2883	3244	3604	3965	4325	5046	5767	6488	7209	7930	8651
110 (43.3)		842	1053	1264	1475	1685	1896	2107	2317	2528	2950	3371	3792	4214	4635	5057
170 (76.7)	19.5"	3243	4055	4867	5679	6486	7298	8110	8922	9734	11354	12978	14597	16221	17845	19464
160 (71.1)	(050)	2801	3502	4203	4905	5602	6304	7005	7706	8407	9806	11209	12608	14010	15413	16811
130 (54.4)		1607	2009	2411	2814	3214	3616	4019	4421	4823	5626	6431	7233	8038	8843	9645
110 (43.3)		938	1173	1407	1642	1876	2111	2346	2580	2815	3284	3753	4222	4692	5161	5630
170 (76.7)	23.5"	3566	4455	5344	6238	7128	8021	8911	9800	10694	12477	14256	16039	17822	19605	21388
160 (71.1)	(060)	3078	3846	4614	5386	6154	6925	7693	8461	9232	10772	12308	13847	15386	16926	18465
130 (54.4)		1763	2203	2643	3085	3525	3967	4407	4847	5289	6171	7050	7932	8814	9696	10578
110 (43.3)		1028	1284	1540	1798	2054	2312	2568	2825	3082	3596	4109	4623	5137	5651	6165
170 (76.7)	27.5"	3867	4834	5801	6768	7735	8702	9669	10636	11603	13537	15471	17405	19339	21273	23207
160 (71.1)	(070)	3338	4172	5007	5841	6676	7510	8345	9179	10014	11683	13352	15021	16690	18359	20028
130 (54.4)		1909	2386	2864	3341	3818	4296	4773	5250	5728	6682	7637	8592	9546	10501	11456
110 (43.3)		1111	1389	1666	1944	2222	2500	2778	3055	3333	3889	4444	5000	5556	6111	6667
170 (76.7)	35.5"	4446	5560	6674	7788	8897	10007	11120	12234	13348	15567	17795	20018	22241	24465	26688
160 (71.1)	(090)	3834	4794	5755	6712	7672	8629	9589	10550	11507	13424	15345	17262	19179	21096	23014
130 (54.4)		2186	2734	3282	3827	4375	4921	5468	6016	6562	7655	8750	9844	10937	12030	13124
110 (43.3)		1268	1586	1904	2221	2539	2855	3173	3491	3807	4442	5078	5712	6346	6981	7615

BTU/hr with 65°F (18.3°C) entering air and 1 GPM flow rate

BUILD-IN WALL TYPE 20

code height length type
ORDER CODE: BIWW. 020 040 20

mean T °F (°C)	H	L 15.5" (040)	19.5" (050)	23.5" (060)	27.5" (070)	31.5" (080)	35.5" (090)	39.5" (100)	43.5" (110)	47" (120)	55" (140)	63" (160)	71" (180)	78.5" (200)	86.5" (220)	94.5" (240)
170 (76.7)	8"	2597	3245	3893	4541	5194	5842	6490	7138	7786	9087	10383	11684	12980	14277	15577
160 (71.1)	(020)	2255	2818	3381	3944	4511	5074	5637	6200	6763	7893	9019	10148	11274	12400	13530
130 (54.4)		1321	1651	1981	2311	2643	2973	3303	3633	3963	4625	5285	5947	6607	7267	7929
110 (43.3)		787	984	1180	1377	1575	1772	1968	2165	2361	2756	3149	3544	3937	4330	4724
170 (76.7)	12"	3222	4029	4837	5641	6448	7252	8059	8867	9671	11282	12897	14508	16119	17731	19342
160 (71.1)	(030)	2802	3504	4206	4905	5607	6306	7009	7711	8410	9811	11215	12616	14018	15419	16820
130 (54.4)		1649	2063	2476	2888	3301	3712	4126	4540	4951	5776	6603	7428	8252	9077	9902
110 (43.3)		987	1234	1482	1728	1975	2222	2469	2717	2963	3457	3951	4445	4939	5433	5926
170 (76.7)	15.5"	3705	4634	5563	6487	7416	8340	9269	10197	11122	12975	14832	16685	18538	20391	22244
160 (71.1)	(040)	3226	4035	4843	5648	6456	7261	8070	8878	9683	11296	12913	14527	16140	17753	19367
130 (54.4)		1908	2386	2864	3340	3818	4294	4772	5251	5727	6681	7637	8591	9545	10500	11454
110 (43.3)		1147	1434	1722	2008	2295	2581	2869	3156	3442	4016	4591	5164	5738	6311	6885
170 (76.7)	19.5"	4087	5111	6131	7155	8174	9198	10218	11242	12262	14305	16349	18393	20436	22480	24524
160 (71.1)	(050)	3562	4455	5343	6236	7125	8017	8906	9798	10687	12469	14250	16031	17812	19594	21375
130 (54.4)		2115	2645	3173	3703	4231	4761	5289	5819	6347	7405	8463	9521	10579	11637	12694
110 (43.3)		1277	1596	1915	2235	2554	2874	3192	3512	3831	4469	5108	5746	6385	7023	7662
170 (76.7)	23.5"	4386	5484	6582	7680	8773	9871	10969	12067	13164	15356	17551	19742	21938	24134	26325
160 (71.1)	(060)	3828	4786	5744	6702	7656	8614	9572	10530	11488	13400	15316	17228	19144	21060	22972
130 (54.4)		2283	2855	3427	3998	4567	5139	5711	6282	6854	7994	9138	10278	11422	12565	13705
110 (43.3)		1384	1731	2077	2424	2769	3115	3462	3808	4155	4846	5539	6231	6924	7617	8309
170 (76.7)	27.5"	4622	5780	6935	8089	9244	10403	11557	12712	13870	16179	18493	20802	23115	25428	27737
160 (71.1)	(070)	4038	5050	6059	7068	8076	9089	10098	11106	12119	14136	16157	18174	20196	22217	24234
130 (54.4)		2420	3027	3631	4236	4840	5447	6052	6656	7263	8472	9683	10892	12104	13315	14524
110 (43.3)		1473	1843	2211	2579	2947	3317	3685	4053	4422	5159	5896	6632	7370	8108	8844
170 (76.7)	35.5"	4948	6187	7421	8659	9897	11131	12370	13608	14842	17319	19791	22268	24740	27212	29689
160 (71.1)	(090)	4333	5418	6498	7583	8667	9748	10832	11917	12997	15166	17331	19500	21665	23830	25999
130 (54.4)		2620	3275	3929	4584	5240	5893	6549	7205	7858	9169	10478	11789	13098	14407	15719
110 (43.3)		1609	2011	2412	2815	3218	3619	4021	4424	4825	5631	6434	7240	8043	8847	9653

BTU/hr with 65°F (18.3°C) entering air and 1 GPM flow rate

BUILD-IN WALL TYPE 21

code height length type
ORDER CODE: BIWW. 030 040 21

mean T °F (°C)	H	L 15.5" (040)	19.5" (050)	23.5" (060)	27.5" (070)	31.5" (080)	35.5" (090)	39.5" (100)	43.5" (110)	47" (120)	55" (140)	63" (160)	71" (180)	78.5" (200)	86.5" (220)	94.5" (240)
170 (76.7)	12"	3330	4164	4998	5832	6661	7495	8329	9163	9997	11660	13328	14991	16659	18326	19990
160 (71.1)	(030)	2875	3595	4315	5035	5751	6471	7191	7911	8631	10067	11506	12943	14382	15822	17258
130 (54.4)		1647	2059	2472	2884	3294	3707	4119	4532	4944	5767	6592	7414	8239	9064	9887
110 (43.3)		960	1200	1440	1681	1920	2160	2401	2641	2881	3361	3842	4321	4802	5283	5762
170 (76.7)	15.5"	3896	4868	5840	6816	7788	8765	9737	10708	11685	13633	15577	17525	19474	21422	23370
160 (71.1)	(040)	3361	4199	5037	5880	6718	7560	8398	9237	10079	11760	13436	15117	16797	18478	20159
130 (54.4)		1918	2397	2876	3357	3835	4316	4795	5273	5754	6714	7671	8630	9590	10549	11509
110 (43.3)		1114	1392	1670	1950	2228	2507	2785	3063	3343	3900	4456	5013	5571	6128	6686
170 (76.7)	19.5"	4428	5534	6640	7746	8857	9963	11069	12175	13281	15498	17710	19926	22138	24351	26567
160 (71.1)	(050)	3817	4770	5723	6677	7634	8587	9540	10494	11447	13357	15264	17174	19081	20988	22898
130 (54.4)		2172	2715	3257	3800	4345	4887	5430	5973	6515	7603	8688	9775	10860	11946	13033
110 (43.3)		1258	1572	1887	2201	2516	2831	3145	3459	3774	4403	5032	5662	6290	6919	7549
170 (76.7)	23.5"	4949	6185	7421	8657	9898	11134	12370	13607	14843	17320	19792	22269	24741	27214	29690
160 (71.1)	(060)	4262	5326	6391	7456	8524	9589	10653	11718	12783	14916	17045	19178	21307	23436	25569
130 (54.4)		2418	3022	3626	4231	4837	5441	6045	6649	7253	8464	9672	10883	12091	13299	14510
110 (43.3)		1396	1745	2094	2443	2793	3142	3491	3840	4189	4888	5586	6285	6982	7680	8379
170 (76.7)	27.5"	5462	6829	8191	9558	10924	12287	13653	15020	16383	19116	21845	24578	27307	30036	32770
160 (71.1)	(070)	4700	5876	7048	8224	9401	10573	11749	12925	14097	16449	18798	21150	23498	25847	28199
130 (54.4)		2659	3324	3987	4653	5318	5981	6647	7312	7975	9306	10635	11965	13294	14622	15953
110 (43.3)		1531	1914	2296	2679	3062	3444	3827	4210	4592	5358	6123	6890	7655	8420	9186
170 (76.7)	35.5"	6498	8122	9747	11371	12996	14620	16245	17869	19494	22743	25992	29241	32490	35739	38988
160 (71.1)	(090)	5582	6977	8373	9768	11164	12559	13955	15350	16746	19537	22328	25119	27910	30701	33492
130 (54.4)		3137	3922	4706	5491	6275	7059	7844	8628	9413	10982	12550	14119	15688	17257	18826
110 (43.3)		1795	2244	2693	3142	3591	4039	4488	4937	5386	6284	7182	8079	8977	9875	10773

BTU/hr with 65°F (18.3°C) entering air and 1 GPM flow rate

